


This is a hand-drawn architectural sketch of a modern, multi-story house. The building features a mix of materials: stone masonry on the lower level and upper right section, vertical wood siding on the upper left and central sections, and white horizontal panels on the central upper level. The house has several large windows, including a prominent three-pane window on the upper central section and a large multi-paned window on the ground floor. A central entrance is visible, flanked by a small porch and a staircase on the left side. The drawing is rendered in a hand-drawn style with black outlines and grey shading, set against a light blue sky and a light green ground plane.

Published:
9/19/2024 2:19:32 PM

[illegible]

DRAWING STATUS	PRELIMINARY
DATE	11/4/19
DRAWN BY	J. Kurkimilis

A1.1


Published:
9/19/2024 2:19:33 PM

The logo for South Elevation, featuring the words "SOUTHELEVATION" in a bold, sans-serif font. A red triangle points upwards, positioned between the "E" and "L" of "ELEVATION".

IT IS THE RESPONSIBILITY OF THE OWNER AND CONTRACTOR TO VERIFY THAT THE PLANS MEET ANY AND ALL CODES IN THE AREA IN WHICH THE STRUCTURE WILL BE BUILT PRIOR TO CONSTRUCTION. OWNER AND/OR CONTRACTOR TO VERIFY ALL DIMENSIONS PRIOR TO BEGINNING CONSTRUCTION. ALL STRUCTURAL COMPONENTS TO BE VERIFIED BY SUPPLIER AND/OR ENGINEER PRIOR TO BEGINNING CONSTRUCTION. CONTRACTOR SHALL VERIFY SITE AND REPORT ANY CONDITIONS THAT MAY CONFLICT WITH DESIGN TO DESIGNER. CONTRACTOR SHALL ASSUME RESPONSIBILITY FOR ANY DISCREPANCIES NOT REPORTED.

501 CHAPMANSBORO RD B
ASHLAND CITY, TN





WALL TYPES

	8" SPLITFACE BLOCK
	8" SMOOTH BLOCK w/ BRICK WRAP
	8" SMOOTH BLOCK w/ STONE WRAP
	12" SMOOTH BLOCK
	12" CAST CONCRETE
	LVL GIRDER OR BEAM


NOTES

1. ALL STRUCTURAL MEMBERS TO BE SIZED AND PLACED BY ENGINEER
2. ANY SPANS SHOWN FOR ENGINEERED I-JOISTS MAY DIFFER FOR DIMENSIONAL LUMBER.
3. PIERS TO BE SIZED AND PLACED BY ENGINEER OR QUALIFIED PROFESSIONAL.
4. VENT LOCATION PER CODES 3' FROM CORNER AND OTHERWISE REQUIRED BY CODES.
5. FOUNDATION WALLS - WATERPROOFING ON INSIDE OF FOUNDATION; CON. FILLED; INSULATE CRAWLSPACE; VENTILATE CRAWLSPACE PER CODES.
6. ACCESS PANEL LOCATION TO BE DETERMINED ON SITE.
7. HVAC PAD LOCATION AND SIZE BY QUALIFIED HVAC PROVIDER.

HEATED/COOLED AREA	
LEVEL	AREA
FLOOR 2	1855 SF
FLOOR 3	1148 SF
Grand total: 2	3003 SF

DOOR SCHEDULE			
MARK	WIDTH	HEIGHT	DESCRIPTION
A	2'-8"	8'-0"	Interior Single Flush
B	2'-4"	8'-0"	Interior Single Flush
D	12'-0"	8'-0"	Sliding Door
E	5'-0"	8'-0"	Double Door
F	6'-0"	8'-0"	Double Door
G	2'-4"	8'-0"	Pocket Door
H	2'-4 3/4"	8'-0"	Exterior Glass
I	3'-0"	8'-0"	Exterior
J	16'-0"	6'-11 21/32"	BiFold Doors
K	18'-0"	8'-0"	Garage Door
L	10'-0"	8'-0"	Garage Door


WINDOW SCHEDULE			
Type Mark	Width	Height	Description
2040F	2'-0"	4'-0"	Fixed
2620F	2'-6"	2'-0"	Fixed
2650F	2'-6"	5'-0"	Fixed
2670F	2'-6"	7'-0"	Fixed
3070F	3'-0"	7'-0"	Fixed
3070S	3'-0"	7'-0"	Casement
3660F	2'-6"	6'-0"	Fixed



FLOOR PLAN NOTES

1. IF DIFFERENT JOIST/TRUSS SIZES OTHER THAN WHAT'S SHOWN IN THESE PLANS ARE DETERMINED, STAIR RISERS MAY NEED TO BE RECALCULATED.
2. ALL WALLS ARE DIMENSIONED STUD TO STUD UNLESS OTHERWISE NOTED.
3. ALL INTERIOR DOOR HEIGHTS ARE 8-0 UNLESS OTHERWISE NOTED.
4. ALL EXTERIOR DOOR HEIGHTS ARE 8-0 UNLESS OTHERWISE NOTED.
5. ALL WINDOW HEIGHTS ARE 8-0 UNLESS OTHERWISE NOTED.
6. CEILING HEIGHTS:
FLOOR 1 - 9-0
FLOOR 2 - 9-0
FLOOR 3 - 9-0

GRAPHIC SYMBOLS



501 CHAPMANSBORO RD B
ASHLAND CITY, TN

The logo for South Elevation, featuring the company name in a bold, sans-serif font with a red triangle graphic to the right.


IT IS THE RESPONSIBILITY OF THE OWNER AND/OR CONTRACTOR TO VERIFY THAT THE PLANS MEET ALL CITY, STATE AND FEDERAL REQUIREMENTS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS PRIOR TO BEGINNING CONSTRUCTION. THE CONTRACTOR SHALL ASSUME RESPONSIBILITY FOR ANY DISCREPANCIES NOT REPORTED TO THE DESIGNER.

[illegible]

FLOOR PLAN

DRAWING STATUS	PRELIMINARY
DATE	11/4/11
DRAWN BY	J. Kurkimili

A1.2



1. ALL STRUCTURAL MEMBERS TO BE SIZED AND PLACED BY ENGINEER.
2. ANY SPANS SHOWN FOR ENGINEERED I JOISTS MAY DIFFER FOR DIMENSIONAL LUMBER.
3. PIERS TO BE SIZED AND PLACED BY ENGINEER OR QUALIFIED PROFESSIONAL.
4. VENT LOCATION PER CODES 3' FROM CORNER AND OTHERWISE REQUIRED BY CODES.
5. FOUNDATION WALLS - WATERPROOFING ON INSIDE OF FOUNDATION, CONC. FILLED, INSULATE CRAWLSPACE, VENTILATE CRAWLSPACE PER CODES.
6. ACCESS PANEL LOCATION TO BE DETERMINED ON SITE.
7. HVAC PAD LOCATION AND SIZE BY QUALIFIED HVAC PROVIDER.

1. IF DIFFERENT JOIST/TRUSS SIZES OTHER THAN WHAT'S SHOWN IN THESE PLANS ARE DETERMINED, STAIR RISERS MAY NEED TO BE RECALCULATED.
2. ALL WALLS ARE DIMENSIONED STUD TO STUD UNLESS OTHERWISE NOTED.
3. ALL INTERIOR DOOR HEIGHTS ARE 8-0 UNLESS OTHERWISE NOTED.
4. ALL EXTERIOR DOOR HEIGHTS ARE 8-0 UNLESS OTHERWISE NOTED.
5. ALL WINDOW HEIGHTS ARE 8-0 UNLESS OTHERWISE NOTED.
6. CEILING HEIGHTS:
 FLOOR 1 - 9-0
 FLOOR 2 - 9-0
 FLOOR 3 - 9-0

	DETAIL MARKER
	SECTION MARKER
	EXTERIOR ELEVATION
	DOOR TAG
	WINDOW TAG

HEATED/COOLED AREA	
LEVEL	AREA
FLOOR 2	1855 SF
FLOOR 3	1148 SF
Grand total: 2	3003 SF

DOOR SCHEDULE			
MARK	WIDTH	HEIGHT	DESCRIPTION
A	2'-8"	8'-0"	Interior Single Flush
B	2'-4"	8'-0"	Interior Single Flush
D	12'-0"	8'-0"	Sliding Door
E	5'-0"	8'-0"	Double Door
F	6'-0"	8'-0"	Double Door
G	2'-4"	8'-0"	Pocket Door
H	2'-4 3/4"	8'-0"	Exterior Glass
I	3'-0"	8'-0"	Exterior
J	16'-0"	6'-11 21/32"	BiFold Doors
K	18'-0"	8'-0"	Garage Door
L	10'-0"	8'-0"	Garage Door

WINDOW SCHEDULE			
Type Mark	Width	Height	Description
2040F	2'-0"	4'-0"	Fixed
2620F	2'-6"	2'-0"	Fixed
2650F	2'-6"	5'-0"	Fixed
2670F	2'-6"	7'-0"	Fixed
3070F	3'-0"	7'-0"	Fixed
3070S	3'-0"	7'-0"	Casement
3660F	2'-6"	6'-0"	Fixed

FLOOR 3 ROOM SCHEDULE					
Name	Level	Floor Finish	Area	Perimeter	Comments
BED 2	FLOOR 3		283 SF	73'-7 1/2"	
BTH2	FLOOR 3		77 SF	37'-3"	
BONUS AREA	FLOOR 3		397 SF	97'-7 7/16"	
OFFICE/FL EX	FLOOR 3		128 SF	47'-1 1/2"	
PWD	FLOOR 3		33 SF	23'-0 1/2"	
HVAC/STR G	FLOOR 3		34 SF	23'-4 1/2"	
CLST2	FLOOR 3		104 SF	42'-6"	

[illegible]

DRAWING STATUS	PRELIMINARY
DATE	11/4/11
DRAWN BY	J. Kurkimili



Published:
9/19/2024 2:19:34 PM



IT IS THE RESPONSIBILITY OF THE OWNER AND/OR CONTRACTOR TO VERIFY THAT THE PLANS MEET ALL CITY, STATE AND FEDERAL REQUIREMENTS AND ALL CODES IN THE AREA IN WHICH THE STRUCTURE WILL BE BUILT PRIOR TO CONSTRUCTION. OWNER AND/OR CONTRACTOR TO VERIFY ALL DIMENSIONS PRIOR TO BEGINNING CONSTRUCTION. ALL STRUCTURAL COMPONENTS TO BE VERIFIED BY SUPPLIER AND/OR ENGINEER PRIOR TO BEGINNING CONSTRUCTION.

CONTRACTOR SHALL VERIFY SITE AND REPORT ANY CONDITIONS THAT MAY CONFLICT WITH DESIGN TO DESIGNER.

CONTRACTOR SHALL ASSUME RESPONSIBILITY FOR ANY DISCREPANCIES NOT REPORTED.

[illegible]The logo for South Elevation, featuring the company name in a bold, sans-serif font with a red triangle graphic element above the 'E' in 'Elevation'.

IT IS THE RESPONSIBILITY OF THE OWNER AND/OR CONTRACTOR TO VERIFY THAT THE PLANS MEET ALL CITY, STATE AND FEDERAL REQUIREMENTS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS PRIOR TO BEGINNING CONSTRUCTION. THE CONTRACTOR SHALL ASSUME RESPONSIBILITY FOR ANY DISCREPANCIES NOT REPORTED.

501 CHAPMANSBORO RD B
ASHLAND CITY, TN



LIGHTING

DRAWING STATUS	PRELIMINARY
DATE	11/08/11
DRAWN BY	J. Kurkimili

A1.5

Published:
9/19/2024 2:19:34 PM

[illegible]




DRAWING STATUS	PRELIMINARY
DATE	11/4/11
DRAWN BY	J. Kurkimili

A2.0

Published:
9/19/2024 2:19:37 PM

The logo for South Elevation, featuring the company name in a bold, sans-serif font with a red triangle graphic element above the 'E' in 'Elevation'.


IT IS THE RESPONSIBILITY OF THE OWNER AND CONTRACTOR TO VERIFY THAT THE PLANS MEET ANY AND ALL CODES IN THE AREA IN WHICH THE STRUCTURE WILL BE BUILT PRIOR TO CONSTRUCTION. OWNER AND/OR CONTRACTOR TO VERIFY ALL DIMENSIONS PRIOR TO BEGINNING CONSTRUCTION. ALL STRUCTURAL COMPONENTS TO BE VERIFIED BY SUPPLIER AND/OR ENGINEER PRIOR TO BEGINNING CONSTRUCTION. CONTRACTOR SHALL VERIFY SITE AND REPORT ANY CONDITIONS THAT MAY CONFLICT WITH DESIGN TO DESIGNER. CONTRACTOR SHALL ASSUME RESPONSIBILITY FOR ANY DISCREPANCIES NOT REPORTED.

The logo for South Elevation, featuring the company name in a bold, sans-serif font with a red triangle pointing upwards to the right, positioned above the word "SOUTHELEVATION".

ELEVATIONS

A2.1

Published:
9/19/2024 2:19:40 PM



IT IS THE RESPONSIBILITY OF THE OWNER AND/OR CONTRACTOR TO VERIFY THAT THE PLANS MEET ALL CITY, STATE AND FEDERAL REQUIREMENTS AND ALL CODES IN THE AREA IN WHICH THE STRUCTURE WILL BE BUILT PRIOR TO CONSTRUCTION. OWNER AND/OR CONTRACTOR TO VERIFY ALL DIMENSIONS PRIOR TO BEGINNING CONSTRUCTION. ALL STRUCTURAL COMPONENTS TO BE VERIFIED BY SUPPLIER AND/OR ENGINEER PRIOR TO BEGINNING CONSTRUCTION.

CONTRACTOR SHALL VERIFY SITE AND REPORT ANY CONDITIONS THAT MAY CONFLICT WITH DESIGN TO DESIGNER.

CONTRACTOR SHALL ASSUME RESPONSIBILITY FOR ANY DISCREPANCIES NOT REPORTED.

[illegible]

DRAWING STATUS	PRELIMINARY
DATE	11/4/01
DRAWN BY	J. Kurkimi

Published:
9/19/2024 2:19:40 PM



501 CHAPMANSBORO RD B
ASHLAND CITY, TN

The logo for South Elevation, featuring the company name in a bold, sans-serif font with a red triangle graphic to the right.

IT IS THE RESPONSIBILITY OF THE OWNER AND/OR CONTRACTOR TO VERIFY THAT THE PLANS MEET ALL APPLICABLE CODES, ORDINANCES, AND ALL CODES IN THE AREA IN WHICH THE STRUCTURE WILL BE BUILT PRIOR TO CONSTRUCTION. OWNER AND/OR CONTRACTOR TO VERIFY ALL DIMENSIONS PRIOR TO BEGINNING CONSTRUCTION. ALL STRUCTURAL COMPONENTS TO BE VERIFIED BY SUPPLIER AND/OR ENGINEER PRIOR TO BEGINNING CONSTRUCTION. CONTRACTOR SHALL VERIFY SITE AND REPORT ANY CONDITIONS THAT MAY CONFLICT WITH DESIGN TO DESIGNER. CONTRACTOR SHALL ASSUME RESPONSIBILITY FOR ANY DISCREPANCIES NOT REPORTED.

[illegible]

PERSPECTIVES

DRAWING STATUS	PRELIMINARY
DATE	11/4/19
DRAWN BY	J. Kurkimilis

A6.0

Published:
9/19/2024 2:19:44 PM